


# Aluminum 1-Way Hanger Assemblies


Pelco's Span Wire mountings are available in aluminum or iron with 1-1/2" NPS or tri-stud fittings. Balance adjusters provide additional adjustment capabilities, while tether assemblies may be used to anchor the bottom of signals in windy applications.



## Span Wire Hanger Assy, Alum Cast Nipple

SE-3043	-	<input type="text"/>	-	<input type="text"/>	-	<input type="text"/>
		Blank=None SB=Stainless Bushing		Blank=Galv SS=Stainless		PNC=Process No Color P__=Paint

Note: Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.



## Span Wire Hanger Assy, Alum Tri-Stud

SE-5089	-	<input type="text"/>	-	<input type="text"/>	-	<input type="text"/>
		Blank=None SB=Stainless Bushing		Blank=Galv SS=Stainless		PNC=Process No Color P__=Paint

Note: Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.



## Span Wire Hanger Assy, Alum w/ Iron Balance Adjuster Cast Nipple

SE-3033	-	<input type="text"/>	-	<input type="text"/>	-	<input type="text"/>
		Blank=None SB=Stainless Bushing		Blank=Galv SS=Stainless		PNC=Process No Color P__=Paint

Note: Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.

Note: 1. All assemblies are supplied standard with stainless slotted washer and fasteners, with galvanized hardware on span wire clamps. Stainless upgrade available.  
2. See Reference Section page v for available paint colors.



# Aluminum 1-Way Hanger Assemblies

Pelco's Span Wire mountings are available in aluminum or iron with 1-1/2" NPS or tri-stud fittings. Balance adjusters provide additional adjustment capabilities, while tether assemblies may be used to anchor the bottom of signals in windy applications.



FREE-SWINGING

SE-0321  
Span Wire  
Clamp



SE-5123  
Hardware Kit



SE-3054  
Signal Closure Kit



## Span Wire Hanger Assy w/ Iron Balance Adjuster Tri-Stud, Alum

SE-5162 -  -  -

Bushing	Stainless Upgrade	Coating
Blank=None SB=Stainless Bushing	Blank=Galv SS=Stainless	PNC=Process No Color P__=Paint

Note:  
Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.

SE-0321  
Span Wire  
Clamp



SE-3042  
Upper Assy Kit  
Alum



SE-3054  
Signal Closure Kit



## Span Wire Hanger Assy w/ PAL Balance Adjuster Cast Nipple, Alum

SE-3276 -  -  -

Bushing	Stainless Upgrade	Coating
Blank=None SB=Stainless Bushing	Blank=Galv SS=Stainless	PNC=Process No Color P__=Paint

Note:  
Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.

SE-0321  
Span Wire  
Clamp



SE-5123  
Hardware Kit



SE-3054  
Signal Closure Kit



## Span Wire Hanger Assy w/ PAL Balance Adjuster Tri-Stud, Alum

SE-5164 -  -  -

Bushing	Stainless Upgrade	Coating
Blank=None SB=Stainless Bushing	Blank=Galv SS=Stainless	PNC=Process No Color P__=Paint


Note:  
Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.

Note: 1. All assemblies are supplied standard with stainless slotted washer and fasteners, with galvanized hardware on span wire clamps. Stainless upgrade available.  
2. See Reference Section page v for available paint colors.



# Aluminum 1-Way Hanger Assemblies Tri-Stud

Pelco's Span Wire mountings are available in aluminum or iron with 1-1/2" NPS or tri-stud fittings. Balance adjusters provide additional adjustment capabilities, while tether assemblies may be used to anchor the bottom of signals in windy applications.



## Span Wire Hanger Assy w/ Iron Span Wire Clamp, Tri-Stud & Adjustable Extender, Alum


SE-5072	-	Extender	-	Stainless Upgrade	-	Coating
		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>
		06=6" Length		Blank=Galv		PNC=Process No Color
		11=11" Length		SS=Stainless		P__=Paint
		19=19" Length				
		40=40" Length				
		48=48" Length				
		72=72" Length				

Note:  
Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.

## Span Wire Hanger Assy w/ Iron Span Wire Clamp, Tri-Stud, Adjustable Extender & Tether, Alum

SE-5024	-	Extender	-	Stainless Upgrade	-	Coating
		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>
		06=6" Length		Blank=Galv		PNC=Process No Color
		11=11" Length		SS=Stainless		P__=Paint
		19=19" Length				
		40=40" Length				
		48=48" Length				
		72=72" Length				

Note:  
Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.



## Span Wire Hanger Assy w/ Alum Span Wire Clamp, Tri-Stud, Alum

SE-5196	-	Extender	-	Bushing	-	Stainless Upgrade	-	Coating
		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>
		06=6" Length		Blank=None		Blank=Galv		PNC=Process No Color
		11=11" Length		SB=Stainless		SS=Stainless		P__=Paint
		19=19" Length		Bushing				
		40=40" Length						
		48=48" Length						
		72=72" Length						

Note:  
Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.

## Span Wire Hanger Assy w/ Alum Span Wire Clamp, Tri-Stud, Iron Balance Adjuster & Tether, Alum

SE-5073	-	Bushing	-	Stainless Upgrade	-	Coating
		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>
		Blank=None		Blank=Galv		PNC=Process No Color
		SB=Stainless		SS=Stainless		P__=Paint
		Bushing				

Note:  
Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.

Note: 1. All assemblies are supplied standard with stainless slotted washer and fasteners, with galvanized hardware on span wire clamps. Stainless upgrade available.  
2. See Reference Section page v for available paint colors.



# Aluminum 2-Way, 3-Way & 4-Way Span Wire Hanger Assemblies



Pelco's Span Wire mountings are available in aluminum or iron with 1-1/2" NPS or tri-stud fittings. Balance adjusters provide additional adjustment capabilities, while tether assemblies may be used to anchor the bottom of signals in windy applications.

① SE-3019-  Bushing -  Stainless Upgrade -  Coating **1-1/2" NPS Span Wire Hanger**


② SE-3272-  -  -  **w/ Iron Balance Adjuster**

③ SE-3274-  -  -  **w/ PAL Balance Adjuster**

Blank=None    Blank=Galv    PNC=Process  
 SB=Stainless    SS=Stainless    No Color  
 Bushing                      P\_\_=Paint


Note: For use with upper and lower arm assemblies below.  
 Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.

## Upper & Lower Arm Assy, 2-Way 16-1/2" CTC, Alum




SE-3038 -  Coating  
 PNC=Process No Color  
 P\_\_=Paint

## Upper & Lower Arm Assy, 3-Way 16-1/2" CTC, Alum



SE-3039 -  Coating  
 PNC=Process No Color  
 P\_\_=Paint

## Upper & Lower Arm Assy, 4-Way 16-1/2" CTC, Alum



SE-3040 -  Coating  
 PNC=Process No Color  
 P\_\_=Paint

Note: 1. All assemblies are supplied standard with stainless slotted washer and fasteners, with galvanized hardware on span wire clamps. Stainless upgrade available.  
 2. See Reference Section page v for available paint colors.



FREE-SWINGING



# Aluminum 2-Way, 3-Way & 4-Way Span Wire Hanger Assemblies

Pelco's Span Wire mountings are available in aluminum or iron with 1-1/2" NPS or tri-stud fittings. Balance adjusters provide additional adjustment capabilities, while tether assemblies may be used to anchor the bottom of signals in windy applications.



①	②	③	① SE-5063- <input type="text"/> Bushing - <input type="text"/> Stainless Upgrade - <input type="text"/> Coating <b>Tri-Stud Span Wire Hanger</b> ② SE-5088- <input type="text"/> - <input type="text"/> - <input type="text"/> w/ Iron Balance Adjuster ③ SE-5163- <input type="text"/> - <input type="text"/> - <input type="text"/> w/ PAL Balance Adjuster
			Blank=None    Blank=Galv    PNC=Process SB=Stainless    SS=Stainless    No Color Bushing                                  P__=Paint

Note: For use with upper and lower arm assemblies below.  
Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.

SE-5059 Upper Arm Assy		<b>Upper &amp; Lower Arm Assy, 2-Way 17" CTC, Cast Tri-Stud, Alum</b>	
SE-5060 Lower Arm Assy		SE-5061 - <input type="text"/> Coating	PNC=Process No Color P__=Paint

SE-5092 Upper Arm Assy		<b>Upper &amp; Lower Arm Assy, 3-Way 17" CTC, Cast Tri-Stud, Alum</b>	
SE-5093 Lower Arm Assy		SE-5094 - <input type="text"/> Coating	PNC=Process No Color P__=Paint

SE-5095 Upper Arm Assy		<b>Upper &amp; Lower Arm Assy, 4-Way 17" CTC, Cast Tri-Stud, Alum</b>	
SE-5096 Lower Arm Assy		SE-5097 - <input type="text"/> Coating	PNC=Process No Color P__=Paint

Note: 1. All assemblies are supplied standard with stainless slotted washer and fasteners, with galvanized hardware on span wire clamps. Stainless upgrade available.  
2. See Reference Section page v for available paint colors.




# Aluminum 5-Section Cluster Span Wire Hanger Assemblies

Pelco's Span Wire mountings are available in aluminum or iron with 1-1/2" NPS or tri-stud fittings. Balance adjusters provide additional adjustment capabilities, while tether assemblies may be used to anchor the bottom of signals in windy applications.



FREE-SWINGING



## Cluster Assy, 5-Section 16-1/2" CTC, Cast Nipple, Alum

SE-3120 -  -  -


Bushing                      Stainless Upgrade                      Coating

Blank=None                      Blank=Galv                      PNC=Process No Color

SB=Stainless                      SS=Stainless                      P\_\_=Paint

Bushing

Note:  
Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.



## Cluster Assy, 5-Section 16-1/2" CTC, Cast Nipple, Alum

SE-3137 -  -  -

Bushing                      Stainless Upgrade                      Coating

Blank=None                      Blank=Galv                      PNC=Process No Color

SB=Stainless                      SS=Stainless                      P\_\_=Paint

Bushing

Note:  
Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.




Note: 1. All assemblies are supplied standard with stainless slotted washer and fasteners, with galvanized hardware on span wire clamps. Stainless upgrade available.  
2. See Reference Section page v for available paint colors.



# Aluminum 5-Section Cluster Span Wire Hanger Assemblies

Pelco's Span Wire mountings are available in aluminum or iron with 1-1/2" NPS or tri-stud fittings. Balance adjusters provide additional adjustment capabilities, while tether assemblies may be used to anchor the bottom of signals in windy applications.




## Cluster Assy, 5-Section 16-1/2" CTC, Tri-Stud, Alum

SE-5166 -  -  -

Bushing	Stainless Upgrade	Coating
Blank=None	Blank=Galv	PNC=Process No Color
SB=Stainless	SS=Stainless	P__=Paint
Bushing		

Note:  
Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.



## Cluster Assy, 5-Section 17" CTC, Tri-Stud, Alum

SE-5165 -  -  -

Bushing	Stainless Upgrade	Coating
Blank=None	Blank=Galv	PNC=Process No Color
SB=Stainless	SS=Stainless	P__=Paint
Bushing		

Note:  
Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.




Note: 1. All assemblies are supplied standard with stainless slotted washer and fasteners, with galvanized hardware on span wire clamps. Stainless upgrade available.  
2. See Reference Section page v for available paint colors.



# 12 Circuit Disconnect Hanger Assemblies

Pelco's Disconnect Hangers are available in 12-circuit and 18-circuit with 1-1/2" NPS threaded or slip top and 1-1/2" NPS threaded or tri-stud bottom hubs.




## Disconnect Hanger, 12-Circuit 1-1/2" NPS Top & Bottom Hub w/ 4' Harness, Alum

SE-3073 -  Coating  
PNC=Process No Color  
P\_\_=Paint

## Disconnect Hanger, 12-Circuit 1-1/2" NPS Top & Bottom Hub w/ 7' Harness, Alum

SE-3195 -  Coating  
PNC=Process No Color  
P\_\_=Paint



## Disconnect Hanger, 12-Circuit 2" Slip Top & Tri-Stud Bottom Hub w/ 4' Harness, Alum


SE-5031 -  Coating  
PNC=Process No Color  
P\_\_=Paint

- Note: 1. All harnesses come with 18 AWG wire pre-tinned and numbered on 3" centers.  
2. All assemblies are supplied standard with stainless steel slotted washers and fasteners.  
3. See Reference Section page v for available paint colors.



# 18 Circuit Disconnect Hanger Assemblies

Pelco's Disconnect Hangers are available in 12-circuit and 18-circuit with 1-1/2" NPS threaded or slip top and 1-1/2" NPS threaded or tri-stud bottom hubs.



## Disconnect Hanger, 18-Circuit 1-1/2" NPS Top & Bottom Hub w/ 4' Harness, Alum

SE-3077 -  Coating  
 PNC=Process No Color  
 P\_\_=Paint

## Disconnect Hanger, 18-Circuit 1-1/2" NPS Top & Bottom Hub w/ 7' Harness

SE-3196 -  Coating  
 PNC=Process No Color  
 P\_\_=Paint



## Disconnect Hanger, 18-Circuit 2" Slip Top & Tri-Stud Bottom Hub w/ 4' Harness, Alum


SE-5032 -  Coating  
 PNC=Process No Color  
 P\_\_=Paint

- Note: 1. All harnesses come with 18 AWG wire pre-tinned and numbered on 3" centers.  
 2. All assemblies are supplied standard with stainless steel slotted washers and fasteners.  
 3. See Reference Section page v for available paint colors.



# Span Wire Terminal Compartment

Pelco's Disconnect Hangers are available in 12-circuit and 18-circuit with 1-1/2" NPS threaded or slip top and 1-1/2" NPS threaded or tri-stud bottom hubs.



## Span Wire Terminal Compartment, 18-Circuit w/ Iron Hanger Assembly, Alum


SE-3092 -  -   
 Stainless Upgrade      Coating  
 Blank=Galv      PNC=Process No Color  
 SS=Stainless      P\_\_=Paint

Note:  
 Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.

## Cable Clamp Kit, 2-Cable, Alum



SE-4201 -   
 Coating  
 PNC=Process No Color  
 P\_\_=Paint



Note: 1. All assemblies are supplied standard with stainless slotted washer and fasteners, with galvanized hardware on span wire clamps. Stainless upgrade available.  
 2. See Reference Section page v for available paint colors.





# Hanger Assemblies

Various hanger assemblies are available for mounting Disconnects. Assemblies are available with or without span wire clamps, balance adjusters, extenders, and tethers, fitting any specific requirement.



## Hanger Assy, Opticom Preemption, 1" NPT w/ Span Wire Clamp & Tether, Alum

SE-3333 -  -  -

	Extender		Stainless Upgrade		Coating
	Blank=None		Blank=Galv		PNC=Process No Color
	11=11" Extender		SS=Stainless		P__=Paint
	19=19" Extender				
	40=40" Extender				
	72=72" Extender				

Note:  
Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.

FREE-SWINGING



Note: 1. All assemblies are supplied standard with stainless slotted washer and fasteners, with galvanized hardware on span wire clamps. Stainless upgrade available.  
2. See Reference Section page v for available paint colors.



# Hanger Assemblies

Various hanger assemblies are available for mounting Disconnects. Assemblies are available with or without span wire clamps, balance adjusters, extenders, and tethers, fitting any specific requirement.




SE-0321  
Span Wire  
Clamp



## Hanger Assy, Tri-Stud Adjustable Span Wire Clamp & Tether, Alum

SE-5123  
Hardware Kit



SE-5118 -  -  -

Blank=None	Blank=Galv	PNC=Process No Color
SB=Stainless	SS=Stainless	P__=Paint
Bushing		

Note:  
Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.

## Hanger Assy, Tri-Stud Adjustable Tether, Alum

SE-5123  
Hardware Kit



SE-5055 -  -

Blank=None	PNC=Process No Color
SB=Stainless	P__=Paint
Bushing	

Note:  
Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.

Note: 1. All assemblies are supplied standard with stainless slotted washer and fasteners, with galvanized hardware on span wire clamps. Stainless upgrade available.  
2. See Reference Section page v for available paint colors.




# Aluminum Horizontal Span Wire Assemblies

Horizontal assemblies are available with aluminum or iron span wire clamps, wire outlet body, and CGB option for up to a 5-section signal.



SE-0338  
Iron Span Wire  
Clamp




AB-4013  
Arm Kit

## Horizontal Span Wire Assy w/ Slip Tee, Iron Clamp, Alum

Signal Section	CGB	Stainless Upgrade	Coating
AB-0127 - <input type="text"/>	- <input type="text"/>	- <input type="text"/>	- <input type="text"/>
1=1 Sec	Blank=None	Blank=Galv	PNC=Process No Color
2=2 Sec	1=0.55"-0.65" Wire	SS=Stainless	P__=Paint
3=3 Sec	2=0.56"-0.65" Wire		
4=4 Sec			
5=5 Sec			

Note:  Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.

SE-0338  
Iron Span Wire  
Clamp



AB-4013  
Arm Kit

## Horizontal Span Wire Assy w/ Tube Saddle, Iron Clamp, Alum

Signal Section	CGB	Stainless Upgrade	Coating
AB-0123 - <input type="text"/>	- <input type="text"/>	- <input type="text"/>	- <input type="text"/>
1=1 Sec	Blank=None	Blank=Galv	PNC=Process No Color
2=2 Sec	1=0.55"-0.65" Wire	SS=Stainless	P__=Paint
3=3 Sec	2=0.56"-0.65" Wire		
4=4 Sec			
5=5 Sec			

Note:  Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.

FREE-SWINGING




Note: 1. All assemblies are supplied standard with stainless slotted washer and fasteners, with galvanized hardware on span wire clamps. Stainless upgrade available.  
2. See Reference Section page v for available paint colors.



# Aluminum Horizontal Span Wire Assemblies


Horizontal assemblies are available with aluminum or iron span wire clamps, wire outlet body, and CGB option for up to a 5-section signal.



## Horizontal Span Wire Assy w/ Slip Tee, Alum Clamp, Alum

AB-0126 -	<input type="text"/>	-	<input type="text"/>	-	<input type="text"/>	-	<input type="text"/>
	Signal Section		CGB		Stainless Upgrade		Coating
	1=1 Sec		Blank=None		Blank=Galv		PNC=Process No Color
	2=2 Sec		1=0.55"-0.65" Wire		SS=Stainless		P__=Paint
	3=3 Sec		2=0.56"-0.65" Wire				
	4=4 Sec						
	5=5 Sec						

Note:  Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.



## Horizontal Span Wire Assy w/ Wire Outlet Body, Alum Clamp, Alum

AB-0122 -	<input type="text"/>	-	<input type="text"/>	-	<input type="text"/>	-	<input type="text"/>
	Signal Section		Bushing		Stainless Upgrade		Coating
	1=1 Sec		Blank=None		Blank=Galv		PNC=Process No Color
	2=2 Sec		SB=Stainless Bushing		SS=Stainless		P__=Paint
	3=3 Sec						
	4=4 Sec						
	5=5 Sec						

Note:  Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.

Note: 1. All assemblies are supplied standard with stainless slotted washer and fasteners, with galvanized hardware on span wire clamps. Stainless upgrade available.  
 2. See Reference Section page v for available paint colors.



This page is intentionally left blank.

**FREE-SWINGING**



# Iron 1-Way Hanger Assemblies

Pelco's Span Wire mountings are available in aluminum or iron with 1-1/2" NPS or tri-stud fittings. Balance adjusters provide additional adjustment capabilities, while tether assemblies may be used to anchor the bottom of signals in windy applications.



## Span Wire Hanger Assy, Iron w/ Signal Closure Kit U-Bolts

SE-3139 -  -   
 Stainless Upgrade      Coating  
 Blank=Galv      P\_\_=Paint  
 SB=Stainless

Note:  
 Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.



## Span Wire Hanger Assy, Iron w/ Signal Closure Kit Iron Balance Adjuster

SE-3151 -  -   
 Stainless Upgrade      Coating  
 Blank=Galv      P\_\_=Paint  
 SB=Stainless

Note:  
 Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.



## Span Wire Hanger Assy, Iron w/ Signal Closure Kit PAL Balance Adjuster


SE-3277 -  -   
 Stainless Upgrade      Coating  
 Blank=Galv      P\_\_=Paint  
 SB=Stainless

Note:  
 Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.

Note: 1. All assemblies are supplied standard with stainless slotted washer and fasteners, with galvanized hardware on span wire clamps. Stainless upgrade available.  
 2. See Reference Section for available paint colors.


# Iron 2-Way, 3-Way & 4-Way Span Wire Hanger Assemblies

Pelco's Span Wire mountings are available in aluminum or iron with 1-1/2" NPS or tri-stud fittings. Balance adjusters provide additional adjustment capabilities, while tether assemblies may be used to anchor the bottom of signals in windy applications.



- ① SE-3070-  -  **1-1/2" NPS Span Wire Hanger**  
 ② SE-3273-  -  w/ Iron Balance Adjuster  
 ③ SE-3275-  -  w/ PAL Balance Adjuster
- Stainless Upgrade    Coating  
 Blank=Galv    P\_\_=Paint  
 SS=Stainless


Note: For use with upper and lower arm assemblies below.  
Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.



## Upper & Lower Arm Assy, 2-Way 16-1/2" CTC Iron

SE-3154 -


Coating  
P\_\_=Paint



## Upper & Lower Arm Assy, 3-Way 16-1/2" CTC Iron

SE-3156 -

Coating  
P\_\_=Paint



## Upper & Lower Arm Assy, 4-Way 16-1/2" CTC Iron

SE-3158 -

Coating  
P\_\_=Paint

Note: 1. All assemblies are supplied standard with stainless slotted washer and fasteners, with galvanized hardware on span wire clamps. Stainless upgrade available.  
2. See Reference Section page v for available paint colors.




FREE-SWINGING



# Iron 5-Section Cluster Span Wire Hanger Assemblies

Pelco's Span Wire mountings are available in aluminum or iron with 1-1/2" NPS or tri-stud fittings. Balance adjusters provide additional adjustment capabilities, while tether assemblies may be used to anchor the bottom of signals in windy applications.



## Cluster Assy, 5-Section 16-1/2" CTC Iron

SE-3160 -  -   
 Stainless Upgrade      Coating  
 Blank=Galv      P\_\_=Paint  
 SS=Stainless



Note:  
 Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.



## Cluster Assy, 5-Section 16-1/2" CTC Iron

SE-3161 -  -   
 Stainless Upgrade      Coating  
 Blank=Galv      P\_\_=Paint  
 SS=Stainless



Note:  
 Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.

Note: 1. All assemblies are supplied standard with stainless slotted washer and fasteners, with galvanized hardware on span wire clamps. Stainless upgrade available.  
 2. See Reference Section page v for available paint colors.



# Signal Accessories

Pelco offers various accessories for span wire mounted signs and signals. See Section T14 Components for additional products available.




## Lower Arm Assy, 2-Way, 16-1/2" CTC, Steel

SE-3162 -  Coating  
P\_\_=Paint



## Lower Arm Assy, 3-Way, 16-1/2" CTC, Steel

SE-3163 -  Coating  
P\_\_=Paint



## Lower Arm Assy, 4-Way, 16-1/2" CTC, Steel

SE-3164 -  Coating  
P\_\_=Paint



## Tether Assembly, Extended Bottom, Alum

SE-3307 -  Length -  Coating  
6=6"  
18=18"  
28=28"  
PNC=Process No Color  
P\_\_=Paint



## SE-3055-ZN1 Tether Assembly, Steel Break-Away, 1-1/2" Pipe



## SE-3293-PNC Tether Assembly, Alum Non-Break-Away

Note: 1. All assemblies are supplied standard with stainless slotted washer and fasteners.  
2. See Reference Section page v for available paint colors.



# Signal Accessories

Pelco offers various accessories for span wire mounted signs and signals. See Section T14 Components for additional products available.



## Tether Assembly, 1-1/2" Break-Away, Alum




SE-5121 -  -   
 Extender                      Coating  
 Blank=No Extender      PNC=Process No Color  
 11=11"                      P\_\_=Paint  
 19=19"  
 72=72"



Note:  
Available with or  
without Extender Bar.

## Tether Assembly, Tri-Stud Break-Away, Alum




SE-5050 -  -   
 Extender                      Coating  
 Blank=No Extender      PNC=Process No Color  
 11=11"                      P\_\_=Paint  
 19=19"  
 72=72"



Note:  
Available with or  
without Extender Bar.

## Tether Assembly, Single-Stud Break-Away, Alum



SE-5058 -  -   
 Extender                      Coating  
 Blank=No Extender      PNC=Process No Color  
 11=11"                      P\_\_=Paint  
 19=19"  
 72=72"



Note:  
Available with or  
without Extender Bar.

## Extender Bar, Aluminum



SE-0507 -  -   
 Length                      Coating  
 11=11"                      PNC=Process No Color  
 19=19"                      P\_\_=Paint  
 40=40"  
 72=72"

Note: 1. All assemblies are supplied standard with stainless slotted washer and fasteners.  
 2. See Reference Section page v for available paint colors.



# Signal Accessories

Pelco offers various accessories for span wire mounted signs and signals. See Section T14 Components for additional products available.



## Signal Spacer Kit w/ Aluminum Nipple, Alum Lockring, Alum Cast Nipple

SE-3306 -  -   
Nipple Length      PNC=Process No Color  
P\_\_=Paint

## Signal Spacer Kit w/ Steel Nipple, Brass Lockring, Iron Cast Nipple

SE-3302 -  -  -   
Nipple Length      LCN=Long Cast Nipple      P\_\_=Paint



## Signal Spacer Kit w/ Aluminum Nipple, Tri-Stud

SE-5218 -  -   
Length      Coating  
06=3-1/4" Nipple      P\_\_=Paint  
12=9-1/4" Nipple  
14=11-1/4" Nipple  
22=19-1/4" Nipple  
28=25-1/4" Nipple



## SM-0906-ZN2 Opticom Cable Hanger, 1/2" Wire, 7/16"-14 x 3/4"-14 NPT, Iron, Zinc 2



## SE-4028-ZN1 CGB 3/4", .55"-.65" Wire Range, Zinc 1

## SE-0490-ZN1 CGB, 3/4", .625"-.75" Wire Range, Zinc 1

## SE-4216-ZN1 CGB, 1", .55"-.625" Wire Range, Zinc 1

Note: 1. All assemblies are supplied standard with stainless slotted washer and fasteners.  
 2. See Reference Section page v for available paint colors.



FREE-SWINGING



# Span Wire Hardware Kits



SE-5123-SS **Tri-Stud Hardware Kit w/ Gasket, 5/16"-18  
Stainless Slotted Washer & Stainless Hardware**



SE-5122-SS **Tri-Stud Hardware Kit w/o Gasket, 5/16"-18  
Stainless Slotted Washer & Stainless Hardware**



SE-5125-SS **Tri-Bolt Hardware Kit w/ Gasket,  
5/16"-18 x 1-1/2" Hex Hd Bolts  
Stainless Slotted Washer & Stainless Hardware**



SE-5126-SS **Tri-Bolt Hardware Kit w/o Gasket,  
5/16"-18 x 1-1/2" Hex Hd Bolts  
Stainless Slotted Washer & Stainless Hardware**

Note: 1. All kits are supplied standard with stainless steel slotted washers and fasteners.  
2. See Section T14 for additional components available.



# Span Wire Hardware Kits



SE-4112-SS

**Signal to Signal Mounting Kit,  
5/16"-18 x 2-1/2" Carriage Bolts  
Stainless Slotted Washer & Stainless Hardware**



SE-3282-SS

**Plumbizer Hardware Kit,  
5/16"-18 x 3-1/2" Carriage Bolts  
Stainless Slotted Washer & Stainless Hardware**



SE-4111-SS

**Tri-Bolt Hardware Kit w/ Gasket,  
1/4"-20 x 1-1/2" Hex Hd Bolts  
Stainless Slotted Washer & Stainless Hardware**



SE-3227-SS

**Lower Assembly Kit,  
1/4"-20 x 1-1/2" Carriage Bolts  
Stainless Slotted Washer & Stainless Hardware**



SE-5064-SS

**Single-Stud Hardware Kit, 5/16"-18  
Stainless Washer & Stainless Hardware**

Note: 1. All kits are supplied standard with stainless steel slotted washers and fasteners.  
2. See Section T14 for additional components available.

